

असाधार्**ण** EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)
PART II—Section 3—Sub-Section (ii)
PUBLISHED BY AUTHORITY
प्राधिकार से प्रकाशित

सं. 147] नई विस्ता, बृहस्पतिवार, मार्च 11, 1993/फाल्गुम 20, 1914 No. 147] NEW DELHI, THURSDAY, MARCH 11, 1993/PHALGUNA 20, 1914

इस भाग में भिन्न पृष्ठ सख्या की जाती है जिससे कि यह अरुग सकासन के रूप में रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a separate compilation

उद्योग मन्नालय

(औद्योगिक विकास विभाग)

ग्डिपव

नई दिल्ली, 1 मार्च, 1993

का. ब्रा. 165 (ब्र) — सारत के राजपत्न, असाधारण, भाग 2, खण्ड 3, उपखण्ड (ii)) तारीख 26 जून, 1992 में पष्ट 1 से 12 पर उद्योग मन्नालय (आँद्योगिक 623 GI/93

विकास विभाग) स. का. थ्रा. 468 (थ्र), तारीख 26 जून, 1992 के साथ प्रकारित पेटेंट (संशोधन) नियम, 1992 में :--

पृष्ठसं. ४ पर

कम स. 36 मे, "धारा 33" के स्थान पर "धारा 63" पढ़े

पुष्ठ ५ पर

पहली पंक्ति में कम लं. "39" क स्थान पर "38" पहें।

पुष्ठ सं. ६ पर

अस संख्या 55 मे, स्तंभ 2, पंक्ति 1 में ''रजिस्ट्रीकरण'' के स्थान पर ''प्रत्यावर्तन'' पहें।

> [स. 14 (3)/89--पी. पी. एण्ड सी] डा. जी. एस. जङ्गा, निदेशक

MINISTRY OF INDUSTRY

(Department of Industrial Development)

CORRIGENDA

New Delhi, the 1st March, 1993

- S.O. 165(E).—In the Patents (Amendment) Rules, 1992, published with the Ministry of Industry (Department of Industrial Development) No. S. O. 468(E), dated the 26th June, 1992 at pages 1 to 12 in the Gazette of India Extraordinary Part-II, Section 3, Sub-Section (ii), dated the 26th June, 1992,—
 - (a) At page 7, in the schedule, Serial No. 2, column 3 for "II B" read "I B".
 - (b) At page 11
 - (i) Serial No. 41,
 - (a) column 2, line 2 for "interest a patent", read "interest in a patent",
 - (b) column 4, for "50.000", read "50.00";

- (ii) Serial No. 42,
 - (a) Column 2, line 4, for "additiona" read "additional";
 - (b) Column 4, against "for each additional patent", for "100.00" read "50.00";
- (iii) Serial No. 55,

column 2, line 1, for "registration", read "restoration";

- (b) column 3, for "--", read "51";
- (c) column 4, omit "51".

[No. 14(3)/89-PP&C]

DR. G. S. JAIYA, Director.

-		